

# SAFETY DATA SHEET

# **Brick Brite Thick**

Revision Date: 6 September 2024

# **SECTION 1. IDENTIFICATION**

1.1 Identifier

Product Brand name: Brick Brite Thick

Product Description: Blend of various acids with other adjuvant.

Product Code: 200050

#### 1.2 Recommended Use & Restriction on Use:

Cleaning Metal and Inorganic Surfaces.

Not for Food, Drug, Pesticide or Biocide use. Read all 16 sections stated herein thoroughly and completely.

## 1.2 Details of the supplier of the safety data sheet

# **Tidol Corporation**

146 Shorting Road, Scarborough ON M1S 3S7, Canada Tel: 416-293-2244/ 1-800-881-8672 Fax: 416-293-5808

Email: info@tidolcorp.com

# 1.3 Emergency Telephone Number

Vendor 1-800-881-8672 or 416-293-2244 24hrs

#### **SECTION 2. HAZARD IDENTIFICATION**

#### 2.1 Classification of the substance or Mixture

Skin Corrosion (Category 1B)
Serious Eye Damage (Category 1)
Metal Corrosion (Category 1)
Specific target Organ ( Category 3)

#### 2.2 Label elements



## Signal Word Danger

#### **Hazard Statements**

H290-May be corrosive to metals

H314-Causes severe skin burns and eye damage

H335-May cause respiratory irritation

**Precautionary Statements** 

#### Prevention

P234- Keep only in original container.

P260-Do not breathe dust/fume/gas/mist/vapors/spray

P264- Wash skin thoroughly after handling

P271- Use only outdoors or in a well-ventilated area

# Response

P301 + P330 + P331-IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353-IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse SKIN with water/shower.

P304 + P340-IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305 + P351 + P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310-Immediately call a POISON CENTER or doctor/physician.

P312- Call a POISON CENTER or doctor/physician if you feel unwell

P321-Specific treatment

P363-Wash contaminated clothing before reuse.

P390- Absorb spillage to prevent collateral material damage

# **2.3. Supplemental label elements**: Mix only with water, do not mix with any other product or chemicals.

#### **Storage**

P403 + P233- Store in a well-ventilated place, Keep container tightly closed

P405-Store locked up.

P406- Store in corrosive resistant/container with a resistant inner liner.

## **Disposal**

P501- Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.4 Other hazards

#### **Potential Acute Health effects:**

Hazardous in case of contact with eyes, skin; if ingested and inhaled. Liquid, mist or powder may produce tissue damage especially mucous membrane of eyes, mouth, nostrils and respiratory tract. Will burn eyes and skin on contact. Respiratory tract characterized by coughing, choking and shortness of breath. Inflammation of eyes results in redness, watering and itching. Skin contact may result in scaling, redness or blistering.

## **Potential Chronic Health effects**

Carcinogenic- Not available

Mutagenic- Not available

Teratogenic- Not available

Embryonic- Not available

Maybe toxic Kidneys, Liver, Mucous membranes, Respiratory tract, Skin and Teeth

## 2.5 Unknown Acute Toxicity

No information available

## **SECTION 3. COMPOSITON/INFORMATION ON INGREDIENTS**

#### 3.1 Substances

No information available

#### 3.2 Mixtures

COMPONENT	CAS #	CONCENTRATIONS W/W
Sulfuric Acid	7664-93-9	5-7%
Hydrofluoric Acid	7664-39-3	15-20%
Phosphoric Acid	7664-38-2	3-4%

#### **SECTION 4. FIRST AID MEASURES**

# 4.1 Description of first aid measures

**General notes** Precaution should always be taken to avoid skin/eye contact with any chemical

substance. Precaution should always be taken to avoid contact or inhalation of

fumes of any chemical substance.

**Inhalation** Remove to fresh air, apply artificial respiration or administer oxygen if necessary.

Seek prompt medical attention, if symptoms persist.

**Skin contact** Immediately remove contaminated clothing and flush skin with potable water for at

least fifteen minutes. Wash skin with mild soap and water. Launder clothes before

reuse.

**Eye contact** Flush continuously with potable water for 15 minutes. Forcibly hold eye lids apart

to ensure irrigation of all eye tissue. If irritation persists, get medical attention.

**Ingestion** Do not induce vomiting without medical advice. If ingestion of large amount occurs

seek medical attention. Never give anything by mouth if the victim is unconscious or losing consciousness or convulsing. Rinse mouth with water and drink small

quantity of water.

**Self-protection of the first aider:** No information available

## 4.2 Most important symptoms and effects, both acute and delayed

Product is a corrosive material; causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to delicate tissue and danger of perforation. Use of gastric lavage or emesis contraindicated due to the product being corrosive. Possible perforation of stomach or esophagus should be investigated.

4.3 Indication of any immediate medical attention and special treatment needed.

No information Available.

#### **SECTION 5. FIRE FIGHTING MEASURES**

## 5.1 Extinguishing media

**Suitable extinguishing media:** Non flammable, use appropriate media for surrounding fire.

**Unsuitable extinguishing media:**No information available.

# 5.2 Special hazards arising from the substance or mixture

Not available

# 5.3 Special precautions for firefighters

Use NIOSH/MSHA approved SCBA and full protective equipment. No special fire fighting procedures needed. Avoid breathing in vapours. Cool containers with water from maximum of distance.

## 5.4 Special protective equipment for firefighters

Fire fighters should wear full protective gear including self contained breathing apparatus with full face shield operated in positive pressure mode.

#### **NFPA**

Health	Flammability	Instability	Physical hazards
4	0	1	N/A

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

## 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## 6.2 Environmental precautions

Do not flush into sanitary or storm sewer or water cause as this material is toxic to fish and wildlife.

## 6.3 Methods and material for containment and cleaning up

Cover spill with suitable absorbent material, sand or vermiculite, mix well and carefully transfer to a well marked container. In case of powders sweep up without causing dust and close lid tightly and have it disposed. Vacuum using a vacuum cleaner equipped with a HEPA filter or wet sweeping may be used to avoid dust dispersal. Follow national, provincial, city and local laws and bylaws in disposing.

#### 6.4 Reference to other sections

No information available.

### **SECTION 7. HANDLING AND STORAGE**

## 7.1 Precautions for safe handling

Avoid all eye and skin contact. Avoid ingestion. Do not breathe dust, gas or fumes. Do not consume tobacco, food or drinks in areas where they may become contaminated with this material. Wash thoroughly after handling. Handle and open container with care.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and well ventilated area. Protect from humidity. Prevent accumulation of dust. Store away from all incompatible materials. Keep container closed when not in use. Do not store in Aluminum, Brass, Copper, Zinc, Copper alloys, Galvanized containers. In case of high humidity or storage for extended periods of time, use plastic bags to avoid caking.

# 7.3 Incompatibilities/Specific end uses

**Incompatibilities** Other Detergent Products, acids and bases

**Specific end uses** Industrial Use.

#### **Additional Information**

Special shipping instructions: Protect against physical damage. Use precaution when handling or shipping any chemical substance. Present appropriate placards when applicable, be sure documentation is correct, and each container has the proper safety marks affixed.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Exposure Limits

SUBSTANCE	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Hydrofluoric acid	TWA: 0.5 ppm TWA: 2.5 mg/m3 Ceiling: 2 ppm Skin	(Vacated) TWA: 3 ppm (Vacated) TWA: 2.5 mg/m3 (Vacated) STEL: 6 ppm TWA: 3 ppm	IDLH: 30 ppm IDLH: 250 mg/m3 TWA: 3 ppm TWA: 2.5 mg/m3 Ceiling: 6 ppm Ceiling: 5 mg/m3	TWA: 0.5 ppm TWA: 2.5 mg/m3 Ceiling: 2 ppm

Legend ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

## **8.2 Control Parameters**

Not Available

## 8.3 Engineering Controls/Exposure Controls

**Engineering controls**Use only under a chemical fume hood. Ensure adequate ventilation,

especially in confined areas. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Environmental exposure controls** Do not allow material to enter sanitary and or storm sewer, follow

city bylaws.

**8.4 Protective Measures** 

**Eye/face protection** Chemical safety goggles

**Hand protection** Wear impervious gloves (e.g. neoprene, rubber) when there is

greater exposure risk.

Other Skin protectionwear impervious protective clothing when there is greater risk.Other protectionAn eye wash station and safety shower should be near the work area.

**Respiratory protection** A MSHA/NIOSH approved respirator is recommended when there is

greater risk

**General hygiene consideration**No information available.
No information available.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties.

Appearances Liquid

Initial Boiling PointNot applicableBoiling Range105 °C / 221 °FBulk DensitiesNot ApplicableEvaporation RateNot Applicable

Flammability Non flammable Upper Flammability limit Non Flammable Lower Flammability limit Non flammable Partition coefficient Not available Non flammable Auto Ignition temperature **Decomposition Temperature** Not available Color Clear/Colorless **Densities** Not Available. Explosive properties Not Applicable **Extinguishing Media for Fires** Non-Flammable Flash Points Not Available. **Heats of Combustion** Not Available. Henry's Law Constant Not Available. Melting point/freezing point -35 °C / -31 °F **Odor Threshold Values** Not Available. Odors Pungent Percent Volatility Not Available.  $1.5 \pm 0.50$ pH Value Specific Gravity 1.025

Vapor PressuresNot Available.ViscosityNot ApplicableWater MiscibilityWater Soluble

Water Solubility (Qualitative) Infinite

9.2 Other information

#### **SECTION 10. STABILITY AND REACTIVITY**

**10.1 Reactivity** No information available.

**10.2 Chemical stability** Stable.

**10.3 Possibility of hazardous reactions** No information available.

**10.4 Conditions to avoid**Contact with incompatible materials

**10.5 Incompatible materials** Contact with ammonium salts may produce ammonia gas. Contact

with reducing sugars may produce carbon monoxide gas. Lead and

zinc. Tin. Aluminum

**10.6 Hazardous decomposition products** None

## **SECTION 11. TOXICOLOGICAL**

# 11.1 Information on likely routes of exposure

Skin contactDermal corrosionEye contactCorrosive to eyes

**Inhalation** Causes irritation to the respiratory tract. Symptoms include coughing, shortness of

breath. Behaves as a moderately strong alkali; intense exposure may result in the destruction of mucous membranes. May cause asthmatic bronchitis, chemical

pneumonitis, or pulmonary edema.

**Ingestion** Can cause irritation to mouth, throat and stomach. Large dose may cause violent

colic, diarrhea, depression and possible death

Symptoms related to the physical, chemical and toxicological characteristics

No information available.

#### 11.2 Information on toxicological effects

# **Acute Toxicity**

Acute Toxicity

**Product Information** 

Oral LD50 Category 2. ATE = 5 - 50 mg/kg.

Dermal LD50 Category 1. ATE < 50 mg/kg. Vapor LC50 Category 2. ATE = 0.5 - 2 mg/l.

## **Component Information**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrogen fluoride	Not listed	Not listed	LC50 = 0.79 mg/L ( Rat ) 1 h

Skin corrosion/irritationNo information available.Serious eye damage/eye irritationNo information available.Respiratory sensitizationNo information available.Skin sensitizationNo information available.

**Carcinogenicity** No known reports of carcinogenicity. Not a listed

carcinogen NTP, IARC, or OSHA.

Germ cell mutagenicity
Reproductive toxicity
Specific target organ toxicity-single exposure
Specific target organ toxicity-repeated exposure
Aspiration hazards
No information available.
No information available.
No information available.

#### **SECTION 12. ECOLOGICAL**

## 12.1 Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrogen fluoride	Not listed	LC50 = 660 mg/L, 48h	Not listed	EC50 = 270  mg/L, 48h
		(Leuciscus idus)		(Daphnia species)

**Persistence and Degradability** Soluble in water Persistence is unlikely based on information available.

Miscible with water

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component		log Pow	
	Hydrogen fluoride	-1.4	

12.2 Persistence and degradabilityNo information available.12.3 Bio accumulative potentialNo information available.12.4 Mobility in soilNo information available.12.5 Results of PBT and vPvB assessmentNo information available.12.6 Other adverse effectsNo information available.

12.7 Additional Information

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## 13.1 Waste treatment methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Hydrogen fluoride - 7664-39-3	U134	-

## **SECTION 14. TRANSPORT**

Product as sold

Land Transport -TDG Ground/Rail

**14.1 UN number** UN1790

**14.2 UN proper shipping name** Hydrofluoric Acid

14.3 Transport hazard class(es)814.3 Subsidiary Class6.114.4 Packing groupII

14.5 Environmental hazards14.6 Special precautions for userNo information available.Follow sections 2,3,and 4

14.7 Transport in bulk according to Annex II of Marpol112 and the IBC Code

No information available

#### **SECTION 15. REGULARTORY INFORMATION**

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302 Listed:	Hydrofluoric Acid
SARA 304 Listed:	Hydrofluoric Acid
SARA 311	Acute Health Hazard Chronic Health Hazard
SARA 312	Acute Health Hazard, Chronic Health Hazard
SARA 313 Listed:	Hydrofluoric Acid
WHMIS Canada	Class E: Corrosive material
	Class D-1B: Poisonous and infectious material-
	Immediate and serious effects- Toxic

#### **SECTION 16. OTHER INFORMATION**

**Specific Hazard:** N/A

**HMIS Ratings:** 



The information on this Safety Data Sheet has been obtained from the Globally Harmonized System of Classification and Labeling of Chemicals, Guidance on the preparation of Safety Data Sheet, Suppliers, Manufacturers, and where applicable, from other reliable sources such as CCOHS, RTECS and worldwide web. However, TIDOL CORPORATION makes no warranties, expressed or implied, as to the accuracy; completeness or adequacy of the information contained herein, and shall not be held liable, regardless of fault, to anyone directly or indirectly for damages or injuries in the use of this product arising out of or in connection with the accuracy, completeness or adequacy of such information. It is the purchaser and the user of the product to evaluate the usefulness of the product and the information inscribed here.

Free samples are provided for testing for fitness of the product for use by the purchaser or another third party client and their compliance with applicable statues is a strict condition of sale. All information given in course of communication is from the best of our knowledge of the products. All recommendations and suggestions are believed to be reliable within limited scope, but should not be construed as warranties. Tidol Corporation, their associated companies and directors disclaim any liability in connection with the purchase, transportation, storage and the use of the product or any data communication.

This Safety data sheet was prepared in compliance with Canadian Hazardous Products Act. 1985, c.H-3 and Hazardous products Regulations 2015-17, Globally Harmonized System of Classification and Labeling of Chemicals and Guidance on the preparation of Safety Data Sheets.